ORGANIC COLLECTION

Beautiful Floors, Better Future




www.thefloorgallery.co.uk

A PVC-FREE, CARBON-NEUTRAL ALTERNATIVE TO VINYL, MADE FROM CASTOR OIL, CANOLA OIL, AND CHALK. WITH ZERO VOCS AND CLASS 43 DURABILITY, IT'S A HEALTHY, HIGH-PERFORMANCE CHOICE FOR DEMANDING, ECO-CONSCIOUS SPACES.

Beautiful Floors Better Future

INTRODUCING THE ORGANIC COLLECTION:

HIGH-PERFORMANCE, DESIGN DIVERSITY & SUSTAINABILITY



Unmatched in sustainability, big on creativity, and built to last. That's the Floor Gallery Organic collection. This collection is one of the most environmentally friendly and durable flooring solutions on the market today. Free from chlorine, plasticisers, and solvents, Organic flooring offers not only outstanding eco credentials but also exceptional durability and a wide variety of stylish design options.

WWW.THEFLOORGALLERY.CO.UK

FLOOR GALLERY

ORGANIC COLLECTION



At Floor Gallery, great design starts with the best ingredients. Our Organic flooring is crafted using the innovative ecuran formula, a high-performance composite made primarily from plant-based oils like canola and castor, combined with natural minerals such as chalk. This flooring is not only environmentally responsible but also exceptionally durable. It's a reliable choice for projects where quality, performance, and sustainability matter.

We Focus On Transparency



Cradle to Cradle® certification stands out from conventional eco-labels. It recognises products with a truly holistic sustainability profile covering the entire lifecycle and its global impact.
Awarded only after rigorous testing against the highest standards, this certification supports green building schemes like LEED, BREEAM, DGNB, and WELL, making it a smart choice for future-forward, certified construction.

STRUCTURE

This collection includes wood XS, wood L, wood XL, stone XL, wood, chip, fusion, and fusion XL – all crafted using the best ingredients. For added comfort and acoustic performance, an optional PU underlay is available to reduce footfall and walking noise. Perfect for high-traffic commercial spaces looking to combine sustainability with style.

Top element


PU-top layer with surface structure, decor paper & stabilisation

Base layer

Ecuran high-performance composite material

Backing

Integrated FleeceTEC-System® for easy and comfortable installation









05 LODGE OAK DARK



FORMAT

PLANK / TILE + ROLL

480 × 80 mm
wood XS (MOQ 50 m²)

1200 × 200 mm
wood L

1500 × 250 mm
wood XL

1000 × 500 mm
fusion XL

20 × 2 m
chip | wood | Fusion



COLOUR GALLERY

Plank+ Tile | Wood

480 × 80 mm wood XS (MOQ 50 m²)

1200 × 200 mm wood L

1500 × 250 mm wood XL



SIENA OAK NATURE
1200 × 200 mm



NEWPORT OAK NATURAL
1200 × 200 mm | 20 × 2 m



CANYON OAK SAND
1200 × 200 mm



NEWPORT OAK BROWN
1200 × 200 mm | 20 × 2 m



LODGE OAK BROWN
1200 × 200 mm



LODGE OAK DARK
1200 × 200 mm



DURBAN OAK BROWN
1200 × 200 mm | 20 × 2 m



ASPEN OAK DARK
1200 × 200 mm



FJORD MAPLE BEIGE
1500 × 250 mm | 480 × 80 mm



INTENSIVE OAK NATURE
1500 × 250 mm | 480 × 80 mm



FINE OAK LIGHT
1500 × 250 mm | 480 × 80 mm | 20 × 2 m



FINE OAK NATURE
1500 × 250 mm | 480 × 80 mm

PLANK+ TILE | WOOD





FINE OAK BROWN
1500 × 250 mm | 480 × 80 mm | 20 × 2 m



INTENSIVE OAK BROWN
1500 × 250 mm | 480 × 80 mm



REAL OAK TAUPE
1500 × 250 mm | 480 × 80 mm



REAL OAK AMBER
1500 × 250 mm | 480 × 80 mm



MAYFIELD OAK BROWN
1500 × 250 mm | 480 × 80 mm



SIENA OAK BROWN
1500 × 250 mm | 480 × 80 mm | 20 × 2 m



MELBOURNE OAK BROWN
1500 × 250 mm | 480 × 80 mm | 20 × 2 m



LUGANO WALNUT BROWN
1500 × 250 mm | 480 × 80 mm



SIENA OAK BEIGE
1500 × 250 mm | 480 × 80 mm



SIENA OAK HONEY
1500 × 250 mm | 480 × 80 mm | 20 × 2 m



MAYFIELD OAK NATURE
1500 × 250 mm | 480 × 80 mm | 20 × 2 m



INTENSIVE OAK AMBER
1500 × 250 mm | 480 × 80 mm



CANYON OAK HONEY
1500 × 250 mm | 480 × 80 mm



CRAFTED OAK
1500 × 250 mm | 480 × 80 mm



REAL OAK NATURE
1500 × 250 mm | 480 × 80 mm



MELBOURNE OAK NATURAL
1500 × 250 mm | 480 × 80 mm | 20 × 2 m



MAYFIELD OAK BEIGE
1500 × 250 mm | 480 × 80 mm



INTENSIVE OAK TAUPE
1500 × 250 mm | 480 × 80 mm



MAYFIELD OAK TAUPE
1500 × 250 mm | 480 × 80 mm | 20 × 2 m



RAVENNA OAK NATURE
1500 × 250 mm | 480 × 80 mm

PLANK + TILE | WOOD



ICELAND PINE LIGHT
1200 × 200 mm



RAVENNA OAK BEIGE
1200 × 200 mm



DURBAN OAK TAUPE
1200 × 200 mm | 20 × 2 m




RAVENNA OAK BROWN
1200 × 200 mm



Durban Oak Taupe

PROVEN COST SAVINGS







Independent tests by the PFIFF Institute show that ORGANIC Collection delivers an average of 30% lifetime cost savings compared to conventional flooring.




COLOUR GALLERY


Roll | Chip




20 × 2 m chip | wood




HONEY MUSTARD
20 × 2 m




TROPICAL ORANGE
20 × 2 m




CHERRY RED
20 × 2 m




SUMMER SKY
20 × 2 m



APPLE GREEN
20 × 2 m



ROYAL BLUE
20 × 2 m



PURE WHITE
20 × 2 m




COTTON BEIGE
20 × 2 m




CHOCOLATE BROWN
20 × 2 m



LIGHT GREY
20 × 2 m



SILVER GREY
20 × 2 m



STEEL GREY
20 × 2 m

DURABLE & EASY TO MAINTAIN




Floor Gallery's ORGANIC Collection is designed for maximum efficiency and minimal upkeep. Its closed-surface construction allows for easy cleaning with standard household or commercial products, no special coatings, polishing, or maintenance required. It's fully compatible with common disinfectants and has been proven effective even under hospital-grade hygiene standards.


Built to perform in demanding environments, the flooring resists marks from furniture, stands up to mechanical wear without visible damage, and maintains its appearance over time thanks to outstanding UV resistance. It's a smart, low-maintenance solution for spaces where cleanliness, durability, and long-term value matter.




SUNSHINE YELLOW
20 × 2 m




JADE GREEN
20 × 2 m



ALMOND BEIGE
20 × 2 m



POWDER ROSE
20 × 2 m



SPRINGTIME ORANGE
20 × 2 m




FOUNTAIN BLUE
20 × 2 m



ALOE GREEN
20 × 2 m




WHEAT BROWN
20 × 2 m



OCEAN BLUE
20 × 2 m



RUST BROWN
20 × 2 m



NAVI BLUE
20 × 2 m



MELANGE
20 × 2 m

ROLL | WOOD


Durban Oak Brown



NAPA WALNUT RUST
20 × 2 m



DURBAN OAK TAUPE
20 × 2 m | 1200 × 200 mm



NAPA WALNUT BROWN
20 × 2 m



DURBAN OAK BROWN
20 × 2 m | 1200 × 200 mm



FINE OAK LIGHT
20 × 2 m | 1500 × 250 mm | 480 × 80 mm



SIENA OAK HONEY
20 × 2 m | 1500 × 250 mm | 480 × 80 mm



MAYFIELD OAK NATURE
20 × 2 m | 1500 × 250 mm | 480 × 80 mm



NEWPORT OAK NATURAL
20 × 2 m | 1200 × 200 mm



HALIFAX OAK NATURAL
20 × 2 m



MAYFIELD OAK TAUPE
20 × 2 m | 480 × 80 mm



NEWPORT OAK BROWN
20 × 2 m | 1200 × 200 mm



SIENA OAK BROWN
20 × 2 m | 1500 × 250 mm | 480 × 80 mm



MELBOURNE OAK NATURAL
20 × 2 m | 1500 × 250 mm | 480 × 80 mm



MELBOURNE OAK BROWN
20 × 2 m | 1500 × 250 mm | 480 × 80 mm




FINE OAK BROWN
20 × 2 m | 1500 × 250 mm | 480 × 80 mm




HALIFAX OAK BROWN
20 × 2 m


FUSION

Unmatched in sustainability, big on creativity, and built to last. That's the Floor Gallery Organic collection. This collection is one of the most environmentally friendly and durable flooring solutions on the market today. Free from chlorine, plasticisers, and solvents, Organic flooring offers not only outstanding eco credentials but also exceptional durability and a wide variety of stylish design options.





1000 × 500 mm Fusion XL




20 × 2 m Fusion

COOL ONE
20 × 2 m | 1000 × 500 mm



COOL TWO
20 × 2 m | 1000 × 500 mm



COOL THREE
20 × 2 m | 1000 × 500 mm



COOL FOUR
20 × 2 m | 1000 × 500 mm

PURE ONE
20 × 2 m | 1000 × 500 mm



PURE TWO
20 × 2 m | 1000 × 500 mm



PURE THREE
20 × 2 m | 1000 × 500 mm



PURE FOUR
20 × 2 m | 1000 × 500 mm


WARM ONE
20 × 2 m | 1000 × 500 mm



WARM TWO
20 × 2 m | 1000 × 500 mm



WARM THREE
20 × 2 m | 1000 × 500 mm



WARM FOUR
20 × 2 m | 1000 × 500 mm

COLOUR GALLERY



BRIGHT ONE
20 × 2 m | 1000 × 500 mm



BRIGHT TWO
20 × 2 m | 1000 × 500 mm



BRIGHT THREE
20 × 2 m | 1000 × 500 mm



BRIGHT FOUR
20 × 2 m | 1000 × 500 mm

FOCUS ON THE SDGS



PRIORITISING HEALTH WITH EVERY PRODUCT

At Floor Gallery, we believe that healthy living starts with healthy materials. We place the highest priority on minimising emissions and avoiding potentially harmful substances, ensuring our floors support a safe, comfortable environment for all.

While traditional PVC-based LVT products remain popular due to their cost-effectiveness, the use of plasticisers and additives has long been a topic of concern. Although modern formulations now use phthalate-free plasticisers deemed safe, the long-term impact of such substances remains uncertain, particularly given the extended lifespan of flooring materials.

That's why Floor Gallery takes a different approach. Over a decade ago, R&D team in Detmold, Germany, developed ecuran, a high-performance, bio-based polyurethane composite. Unlike PVC, ecuran requires no plasticisers and uses less than 1% additives. Instead of petrochemical polyols, it's made primarily from renewable raw materials like rapeseed and castor oil, as well as natural mineral fillers like chalk.

Organic Collection, manufactured in East Westphalia, Germany, contains no organochlorines, plasticisers, or solvents. It is odourless, emission-free, and contributes significantly to good indoor air quality, an essential factor, given that we spend roughly 80% of our lives indoors.

Certified to the Cradle to Cradle® Silver standard since 2018, our ecuran-based floors are a future-proof, sustainable choice for projects that put people and the planet first.

PRODUCT INFORMATION


	WOOD XS *	WOOD L	WOOD XL	FUSION XL	ROLL CHIP | WOOD | FUSION
Installation type	Glue Down	Glue Down	Glue Down	Glue Down	Glue Down
Utilisation classes | EN ISO 10874	23 / 34 / 43	23 / 34 / 43	23 / 34 / 43	23 / 34 / 43	23 / 34 / 43
Format	480 × 80 mm	1200 × 200 mm	1500 × 250 mm	1000 × 500 mm	20 × 2 m
Product thickness	2.5 mm	2.5 mm	2.5 mm	2.5 mm	2.5 mm
Content / box	40 / 1.54 m²	20 / 4.80 m2	12 / 4.50 m2	10 / 5.00 m2	1 / 40 m²
Boxes / pallet	144 / 221.76 m²	60 / 288.00 m2	56 / 252.00 m2	50 / 250 m2	6 / 240 m²
Weight	3.40 kg / m2	3.40 kg / m2	3.40 kg / m2	3.40 kg / m2	3.40 kg / m2
Staining / chemical resistance | EN ISO 26987	Very good resistance with regards to concentration and exposure time				
Reaction to fire | EN 13501-1	Cfl - s1	Cfl - s1	Cfl - s1	Cfl - s1	Cfl - s1
Anti slip category | DIN 51130	R9	R9	R9	R9	R9
Light fastness | EN ISO 105-B02	~ 7	~ 7	~ 7	~ 7	~ 7
Residual indentation | EN ISO 24343-1	≤ 0.10 mm	≤ 0.10 mm	≤ 0.10 mm	≤ 0.10 mm	≤ 0.10 mm
Dimensional stability | EN 434 / EN ISO 23999	≤ 0.15 %	≤ 0.15 %	≤ 0.15 %	≤ 0.15 %	≤ 0.15 %
Flexural behaviour | EN ISO 24344	≥ 20 mm	≥ 20 mm	≥ 20 mm	≥ 20 mm	≥ 20 mm
Underfloor heating	Suitable for all conventional hot water underfloor heating and electrical systems regulated up to a surface temperature of 29 °C.				
Thermal resistance | EN 12667	~ 0.01 (m²K) / W	~ 0.01 (m²K) / W	~ 0.01 (m²K) / W	~ 0.01 (m²K) / W	~ 0.01 (m²K) / W
Effect of a castor chair | EN 425 / ISO 4918	25000 revolutions − no damage with rollers type W				
Impact sound reduction | EN ISO 10140	~ 8 dB	~ 8 dB	~ 8 dB	~ 8 dB	~ 8 dB
Effect of a furniture leg | EN 424	Foot type 2 − no visible changes				
Anti-static properties | EN 1815	≤ 2 kV	≤ 2 kV	≤ 2 kV	≤ 2 kV	≤ 2 kV



Utilisation class 23:
Domestic area
with intensive usage



Utilisation class 34:
Very heavy-duty use
in the commercial sector



Utilisation class 43:
Heavy-duty use in the
light industrial sector

Beautiful Floors, Better Future



6 REASONS TO CHOOSE ORGANIC COLLECTION

Durable & Resilient
Designed for heavy-duty use, Floor Gallery's ORGANIC FLOORING offers excellent indentation resistance (~0.10 mm as per EN ISO 24343-1) and long-lasting resilience.

Smooth & Stable
Heavy trolleys, carts, or hospital beds glide effortlessly thanks to its excellent rollability and robust structure.

Ready for Humid Spaces
Perfect for kitchens, bathrooms, or any moisture-prone areas – no swelling, no warping.

UV & Temperature Resistant
Outstanding lightfastness (≥ 7) and thermal stability make it ideal for sunlit rooms and changing climates.

Comfortable & Quiet
Warm underfoot, gentle on joints, and noticeably quiet – ideal for spaces that value comfort and calm.

Fire-Safe & Maintenance-Free
Flame-retardant, low in smoke emissions, and requires no coating or special upkeep throughout its lifespan.

ORGANIC COLLECTION

FLOOR GALLERY



Beautiful Floors,
Better Future

Contact

Aaron Smith

aaron.smith@thefloorgallery.co.uk

07401333716

thefloorgallery.co.uk